

LG0905-66 EWT(m)/EPF(c)/EWP(j) RM

ACCESSION NR: AP5016635

UR/0138/65/000/006/0019/0024
678.046.2.002.2.001.4 223

AUTHORS: Zuyev, V. P.; Gilyazetdinov, L. P.; Gyul'misaryan, T. G.; Safronov, N. B.
Ya.; Vernshteyn, I. D.; Glagolev, V. I.; Taygankova, E. I.; Sokolova, V. V.;
Bystrov, K. M.; Khokhlov, B. P.

TITLE: Some peculiarities of the production of carbon black PM 70 in cyclone-type reactors by using thermocatalytic gas oil

SOURCE: Kauchuk i rezina, no. 6, 1965, 19-24

TOPIC TAGS: gas oil fraction, carbon black, catalytic cracking / PM 70 carbon black

ABSTRACT: The production of active carbon black PM-70 from a 1:1 mixture of thermocatalytic gas oil and green oil was investigated to correct certain technological parameters and to determine the behavior of carbon black during its recovery and processing. The tabulated physico-chemical properties of green oil, and their mixture show that the thermocatalytic gas oil is distinguished by a high polycyclic aromatic hydrocarbon content. The analysis of several gas oil fractions showed that its kinematic viscosity at 50C varies over a range of

Card 1/3

L00905-66

ACCESSION NR: AP5016635

$9.5-11.8 \times 10^{-2} \text{ m}^2/\text{sec}$. The viscosity of the 1:1 mixture varies from 3.6 to $3.9 \times 10^{-2} \text{ m}^2/\text{sec}$. The kinematic viscosity plotted against heating temperature shows that the green oil and gas oil have the same viscosity only at a temperature of 280-300C. The viscosity value of $1.05 \times 10^{-2} \text{ m}^2/\text{sec}$ is reached for green oil only at 100C, and for gas oil and green oil mixture at 140C. Pure gas oil has this viscosity at 185C. The high viscosity, high boiling point, and the wide fractional composition of the gas oil make it necessary to preheat it by 80-100C higher than the green oil at minimum 160C before its introduction into the reactors. The average diameter of the droplet of raw material is plotted against the vaporizing air flow rate and the temperature before the atomizer. With an increase in the air flow rate from 0.45 to 1.0 m^3/kg , the diameter of the droplet decreased 2.0-2.2 times. During the experiments the gas oil content in the mixture, the heating temperature, and the specific flow rate of vaporizing air were varied. The other technological parameters were almost constant (total specific air flow rate of 4.8-5.1 m^3/kg , gas flow rate of 0.25-0.28 m^3/kg of raw material, reactor temperature of 1395-1400C). Tabulated data show that by increasing the air flow rate and temperature the specific surface and the oil content of carbon black were increased, while the optical density of the benzene extract of carbon black decreased. The technological data and properties of carbon black PH-70

Card 2/3

L00905-66

ACCESSION NR: AP5016635

2

are tabulated and discussed. It was established that the carbon black yield is almost the same as that obtained from pure green oil. The thermophysical properties of the gaseous reaction products of carbon black formation are compared. Vulcanizates obtained with PM-70 carbon black have a higher tear strength due to the larger specific surface and oil content. Experimental data show that a carbon black plant equipped with cyclone-type reactors and a dry system of carbon black recovery can be altered to use a mixture of gas oil and green oil. An increase in the vaporizing air flow rate leads to an increased dispersal and oil content of PM-70 carbon black and to the decrease in coking of reactors. It is recommended to increase the air flow rate to 1.0 m³/kg oil. The addition of gas oil to green oil results in the stabilization of the granulation operation on the ASA 1 drums. Orig. art. has: 4 figures and 3 tables.

ASSOCIATION: Nauchno-issledovatel'skiy institut shinnoy promyshlennosti (Scientific Research Institute for the Tire Industry); Novo-Yaroslavskiy sazhevyy zavod (Novo-Yaroslavl Carbon Black Plant)

SUBMITTED: 00

ENCL: 00

SUB CODE: FP, GC

NO REF SOV: 005

OTHER: 001

Card 3/3 AP

VERONSKIY, G.I. (Novosibirsk, ul. Lermontova, d.45, kv.70)

Splenoportographic determination of the spreading of stomach
tumors. Vop. onk. 10 no.2:28-34 '64. (MIRA 17:7)

1. Iz kafedry gospital'noy khirurgii (zav. kafedroy - dotsent B.
A. Vitsyn) Novosibirskogo meditsinskogo instituta (rektor-zasluzhen-
nyy deyatel' nauki prof. G.D. Zalesskiy).

ANTONYUK, P.P. VERNYAYEV, O.; YERSHOV, P.

Cultivator for mulberry shrub plantations. Trakt. i sel'khozmash.
no.12:24-25 D '58. (MIRA 11:12)
(Cultivators) (Mulberry)

ANTONYUK, P.P.; YERSHOV, P.G.; VERNYAYEV, O.V.

KSSh-5 mounted wide-range orchard cultivator. Trakt. i sel'khozmash.
(MIRA 12:5)
no.4:36-37 Ap '59.

1.Zavod "Krasnyy Aksay."
(Cultivators)

VERNYATEV, O.V.

Working parts of the cultivator. Trakt. i sel'khozmash. no.12:22-25
D '59. (MIRA 13:3)

1.Rostovskiy-na-Donu institut sel'skokhozyaistvennogo mashinostroyeniya.
(Cultivators)

VERNYAYEV, O. V., Cand Tech Sci -- (diss) "Theory, construction, and study of the performance of the active functioning part of the culti-vator." Khar'kov, 1960. 23 pp; with charts; (Ministry of Higher and Secondary Specialist Education Ukrainian SSR, Khar'kov Polytechnic Inst im V. I. Lenin); 150 copies; free; list of author's works at end of text (11 entries); (KL, 52-60, 119)

VERNYAYEVA, T.I. assistant

Treatment of peritonitis according to data from the medical and
sanitary section of the Textile Combine. Med. zhur. Uzb. no;11:
(MIRA 15:2)
69-70 N '61.

1. Iz kafedry obshchey khirurgii sanitarnogo i pediatricheskogo
fakul'tetov (zav. - prof. A.M.Geller) Tashkentskogo gosudarstvennogo
meditsinskogo instituta i medsanchasti Tashkentskogo tekstil'nogo
kombinata (glavnnyy vrach - A.K.Kamalov).
(TASHKENT PERITONITIS)

DONSKOY, S.M.; ZEMSKOV, N.Ya.; OSFNOV, V.I.; POTAPOV, A.I.;
UDALIKHINA, A.S.; YAROSHUK, D.Ya.; VAYNER, M.S.; VERNYI,
Ye.A.; CHURKIN, D.I.; GERASIMOV, K.A.; ZIBRIN, D.A.;
AYKHENVAL'D, Ye.L.; KOZLOV, A.I.; BULANOV, A.G.;
OSTROVSKAYA, L.N.; TAUHES, I.S.; PETROV, Z.I.; POTEPALEV,
V.A.; PECHONYY, A.D.; TROFIMOVA, A.S., tekhn. red.

[Development of power engineering in the Tatar A.S.S.R.]
Razvitiye energetiki Tatarskoi ASSR. Kazan', Tatarkoe knizhnoe
izd-vo, 1961. 145 p. (MIRA 15:2)

1. Tatar A.S.S.R. Sovet Narodnogo khozyaystva. Upravleniye
energeticheskoy promyshlennosti.
(Tatar A.S.S.R.—Power engineering)

VERNY, A.I.

Preparation of the adhesive for labeling machines. Spirt. prom.
25 no.4:39-40 '59. (MIRA 12:7)
(Adhesives) (Liquor industry--Equipment and supplies)

VERNY, A.N.

Automatic stamp making aluminum caps. Spirt.prom. 27 no.1:32-34
'61. (MIRA 14:2)
(Machine tools)

VERNYY, A.N.; GOFSHTEYN, B.Ya.

Industrial plant for the production of feed biomycin. Spirit.
prom. 29 no.6:31-32 '63. (MIRA 16:10)

1. Khabarovskiy sovet narodnogo khozyaystva.
(Starch industry—By-products)
(Chlortetracycline)

VERNYY, A.N. Prinimal uchastliye: LUKIN, B.S., slesar'; MAMONTOVA, O.K.,
red.; FILATOVA, G.M., tekhn. red.

[Automatic equipment for liqueur and vodka distilleries] Avtomati-
cheskoe oborudovanie likero-vodochnykh zavodov; rukovodstvo po
ekspluatatsii i nalaadke. Blagoveshchensk, Amurskoe knizhnoe izd-
vo, 1960. 62 p. (MIRA 15:12)

1. Russia (1917- R.S.F.S.R.) Amurskiy ekonomicheskiy administra-
tivnyy rayon. Zavodoupravleniye spirtovodochnykh predpriyatiy.
2. Glavnyy inzhener zavodoupravleniya spirtovodochnykh predpri-
yatiy Amurskogo sovmarkhoza (for Vernyy).

(Amur Province—Distilling industries—Equipment and supplies)
(Machinery, Automatic)

VERNYY, A.N.; ZHURAVLEVA, S.S., vedushchiy red.

[Modernization of the Blagoveshchensk Liqueur and Vodka Plant]
Opyt rekonstruktsii Blagoveshchenskogo likero-vodochnogo zavoda.
Moskva, Gos.nauchno-issl.in-t nauchn. i tekhn.informatsii, 1959.
6 p. (MIRA 13:6)
(Blagoveshchensk (Amur Province)--Liquor industry)

VERNYY, S.S., tekhnik po zashchite rasteniy

Worries of a collective farm mechanic. Zashch. rast. ot vred. i
bol. 8 no.2:9 F '63. (MIRA 16:7)

1. Kolkhoz "Druzhba" Poltavskogo rayona, Poltavskoy oblasti.
(Plants, Protection of)

VERNYY, Ye.; FEDYANIN, M.

The operation of the hourly bonus system. Sots.trud no.8:78-80
Ag '56. (MIRA 9:10)

1. Nachal'nik planovo-ekonomiceskogo otdela Kazanskoy Teplovoy
elektricheskoy tsentral'noy stantsii no.1 (for Fedyanin). 2. Starshiy
inzhener (for Fedyanin).
(Electric power plants) (Bonus system)

MARKOV, V.K., doktor khim. nauk, prof.; VERNYY, Ye.A., kand. fiz.-mat. nauk; VINOGRADOV, A.V., kand. khim. nauk; YELINSON, S.V., kand. khim. nauk; KLYGIN, A.Ye., kand. khim. nauk; MOISEYEV, I.V., kand. khim. nauk; PANASENKOVA, Ye.I., red.; ALYAB'YEV, A.F., red.

[Uranium; methods for its determination] Uran; metody ego opredeleniiia. Izd.2., ispr. i dop. Moskva, Atomizdat, 1964. 502 p. (MIRA 17:12)

VERNY V.E.A.

V1618

SPECTRUM AND ENERGY LEVELS OF THE POLONIUM
ATOM. E. A. Vorzyi, A. N. Zeldel and K. G. Shvechel'blit.
Doklady Akad. Nauk S.S.R. 104, 710-12(1955) Oct. 11
(In Russian)

A detailed study of the Po spectrum at 400 to 500°C was made. Discharge of Po vapors was used as the source of light. Registration of spectra in ultraviolet and visible areas was done on a two-meter spectrograph with diffraction grating. Instruments of high dispersion permitted the determination of the wave length of most of the lines with the accuracy up to 0.01 Å. (R.V.J.)

SOV/51-6-2-33/39

AUTHORS: Vernyy, Ye.A. and Yegorov, V.N.

TITLE: Isotopic Shifts in the Spectrum of Thorium Th^{232} - Th^{229} (Izotopicheskiye
sadvigi v spektre toriya Th^{232} - Th^{229})

PERIODICAL: Optika i Spektroskopiya, 1959, Vol 6, Nr 2, pp 262-263 (USSR)

ABSTRACT: Isotopic shifts in the spectrum of thorium were measured in a sample containing Th^{229} and Th^{232} in the ratio 1:1. The thorium spectrum was excited in an alternating current arc at 5 A. To suppress cyanogen bands the thorium sample was excited in an atmosphere of carbon dioxide. A two-metre spectrograph with a diffraction grating in the Paschen mounting was employed. The linear dispersion of the instrument was 3.4 \AA/mm in the first order. Isotopic shifts were observed in over 250 lines in the region $2600-4400 \text{ \AA}$. The results of measurements on 76 lines, in which the shift could be observed most clearly, are given in a table on p 263. This table gives also the ratio of the shifts $\Delta\delta(232-229)/\Delta\delta(232-230)$ which are related to the even-uneven effect. Values of the isotopic shifts between Th^{232} and Th^{230} lines were taken from a paper by Stukenbroeker and McNally (Ref 1). For the majority of the lines this ratio lies between the limits of 1.6 and 1.8, which agrees with the general nature of even-uneven shifts in heavy elements (Refs 2-4). For

Card 1/2

50V/51-6-2-33/39

Isotopic Shifts in the Spectrum of Thorium Th²³²-Th²²⁹

certain lines this value is somewhat higher and the difference is greater than the experimental error; the reasons for such departures are not clear. Spectra of samples with Th²²⁹ and Th²³² in the ratios 1:1 and 1:20 were also photographed by means of a diffraction autocollimating spectrograph in the fifth order. Linear dispersion of this spectrograph was about 1 Å/mm. Broadening of 4019.137, 4273.363, 4282.044 and 4391.114 Å Th²²⁹ lines, because of hyperfine structure, was observed. This structure could not be resolved by means of the diffraction spectrograph used. The width of the hyperfine structure was 0.3-0.4 m⁻¹. Investigations of the isotopic shifts and the hyperfine structure of Th²²⁹ lines are being continued. Acknowledgments are made to V.K. Markov and M.F. Korinskaya for separation and purification of Th²²⁹. There are 1 table and 4 English references.

SUBMITTED: August 30, 1958

Card 2/2

VERNYY, Ye.A.; YEGOROV, V.N.

Isotopic shifts in the thorium $\text{Th}^{232} - \text{Th}^{229}$ spectrum. Opt. 1
spektr. 6 no.2:262-263 F '59. (MIFI 12:4)
(Thorium-Spectra)

S/051/60/009/006/002/018
E201/E191

AUTHORS: Vernyy, Ye.A., and Yegorov, V.N.
TITLE: The Isotopic Effect in the Thorium Spectrum
PERIODICAL: Optika i spektroskopiya, 1960, Vol.9, No.6, pp 692-702
TEXT: The isotopic shift in the thorium spectrum was studied by Stukenbroeker and McNally (Ref.1); they used Th²³² and Th²³⁰. The present paper deals with the Th²³²-Th²²⁹ isotopic shift. A sample had equal proportions of Th²³² and Th²²⁹. The spectrum was excited in an a.c. arc, using currents of 4-6 A. A solution of thorium chloride was deposited by evaporation on a carbon electrode. To avoid interference from cyanogen bands in the 2600-4400 Å region, the thorium spectrum was excited in carbon dioxide. The spectrum was recorded with a two-metre diffraction spectrograph using Paschen's mounting. Individual lines were studied with a self-collimating diffraction spectrograph AMC (DAS). The isotopic shift was recorded for 247 thorium lines; 178 of them were ascribed to Th II, 20 lines were due to Th I, and 49 were not identified. The shifts of the Th I lines are given in Table 1 and those of the Th II lines are given in Tables 2A and 2B. The

Card 1/2

The Isotopic Effect in the Thorium Spectrum

S/051/60/009/006/002/018
E201/E191

$\text{Th}^{232}-\text{Th}^{229}$ shift was 1.2 times greater in the Th II lines than in the Th I lines. It was always positive, i.e. the Th^{229} lines were displaced towards shorter wavelengths. Table 3 lists the mean isotopic shifts of uranium lines, taken from Striganov and Korostyleva's work (Ref.9). Table 4 gives the maximum and minimum shifts for various electronic configurations of Th I and Th II. The results given in Table 4 were used to derive the most probable identification of some thorium lines (Table 5). The relative isotopic shifts of individual Th II lines are listed in Tables 6A and 6B; Table 7 gives the relative shifts of the Th I lines. From the results obtained the even-odd effect was deduced and the deformation of the Th^{229} nucleus was calculated. Acknowledgements are made to V.K. Markov and M.F. Korinfskaya for separation and purification of Th^{229} and to Yu.P. Dontsov for his advice. There are 7 tables and 22 references: 7 Soviet, 12 English, 1 German, 1 Dutch and 1 Danish.

SUBMITTED: March 7, 1960

Card 2/2

5.5310

77743
SOV/75-15-1-5/29

AUTHORS: Vernyy, Ye. A., Yegorov, V. N.

TITLE: Spectral Determination of Aluminium in Uranium

PERIODICAL: Zhurnal analiticheskoy khimii, 1960, Vol 15, Nr 1,
pp 24-26 (USSR)

ABSTRACT: A description of a new method of spectral determination
of aluminium in uranium (from 1×10^{-3} to 3×10^{-2} % Al)
based on fractional distillation with a carrier is
given. Construction of the electrode used is important.
The electrode, shown in Fig. 1, was found to be most
suitable for the determination.




Fig. 1.

Card 1/4

Spectral Determination of Aluminium in Uranium

77743

SOV/75-15-

The electrode shown in Fig. 2 was used for the investigation of the effect of barium on the intensity of aluminium lines.




Fig. 2.

AgCl, SrCO₃, and BaCO₃ were tested as carriers. BaCO₃ was finally selected and used. Spectra were taken on the ISP-51 spectrograph with a UF-85 A camera. Exposure time, 30 sec, current, 18 amp; a mixture consisting of 1 g U₃O₈, 100 mg of BaCO₃, and 50 mg of carbon powder was used. The sample placed on the carbon electrode (see Fig. 1) weighed 25 mg. Calibration graphs were used. Sensitivity: 1×10^{-3} % Al. Results of the investigation are given in

Card 2/4

Spectral Determination of Aluminium in Uranium 77743
SOV/75-15-1-5/29

Tables 1 and 2.

Comparison of the results of Al determination by Table 1
spectral and chemical methods

Sample	Method	Chemical	Spectral	Sample	Method	Chemical	Spectral
1		5×10^{-3}	6×10^{-3}	4		3.8×10^{-2}	3.3×10^{-2}
2		1.1×10^{-2}	1.3×10^{-2}	5		2.3×10^{-2}	2.2×10^{-2}
3		4×10^{-3}	4.5×10^{-3}	6*		9×10^{-3}	1×10^{-2}

* Sample contained 1.3% Mo

There are 2 figures; 2 tables; and 6 references, 1
U.S., 5 Soviet. The U.S. reference is: Sribner,
B. F., Mullin, H. R., J. Res. Nat. Bur. Stand., 37,
379 (1946).

Card 3/4

SUBMITTED: January 5, 1959

Spectral Determination of Aluminium in Uranium 77743
SOV/75-15-1-5/29

Influence of third elements on the Al determination
Table 2
(1) Element; (2) not introduced; (3) admixtures introduced (in %); (4) Na in form of Na_2CO_3 ; (5) Fe in form of Fe_2O_3 ; (6) Mo in form of MoO_3 .

(1)	(2)	(3)							
		0,1	0,3	1,0	1,3	3	5	7	10
(4)	$9 \cdot 10^{-3}$	$3,3 \cdot 10^{-3}$	$8,5 \cdot 10^{-3}$	$9,1 \cdot 10^{-3}$	—	$9,5 \cdot 10^{-3}$	—	—	—
Ca ₁	$9 \cdot 10^{-3}$	$6,7 \cdot 10^{-3}$	$8,6 \cdot 10^{-3}$	$9,2 \cdot 10^{-3}$	—	$9,8 \cdot 10^{-3}$	—	—	—
(5)	$9 \cdot 10^{-3}$	$3,7 \cdot 10^{-3}$	$9 \cdot 10^{-3}$	$6,5 \cdot 10^{-3}$	—	—	—	—	—
(6)	$9 \cdot 10^{-3}$	—	—	—	$9,1 \cdot 10^{-3}$	$8,8 \cdot 10^{-3}$	$8,3 \cdot 10^{-3}$	$8,2 \cdot 10^{-3}$	$6,4 \cdot 10^{-3}$

Card 4/4

Card

1/2

AMERICAN HISTORY

TABLE OF CONTENTS [abridged]:

Foreword to second edition -- 3

Foreword to first edition -- 3

B. L. Myers, author's note -- 3

pounds -- 3

Part I. The history of the com-

munity and its materials -- 16

~~Subject Index - 489~~

SUBMITTED: 21Sep64

R) REF SCV: 470

Card 2/2

SUB CODE: 00

OTHER: 60?

VERO, E.

"Changing Shifts in the Machine Industry Without Work Stoppage." P. 24.
(TOBETERMELES, Vol. 7, No. 1, Jan. 1953, Budapest, Hungary)

SO: Monthly List of East European Accessions, (EEAL), IC, Vol. 4,
No. 1, Jan. 1955, Uncl.

VERO-HETENYI, M. (Mrs)

Adjustment of point interpolation through distance measurements using the method for the adjustment of conditional observations. Acta techn Hung 47 no. 1/2:229-239 '64.

1. Geodatisches Forschungslaboratorium der Ungarischen Akademie der Wissenschaften, Sopron.

VERO, 1.

Distr: 4 Elec
106. Design of the television tower in Budapest. I. Ver 6.
Magyar Építőipar. Vol. 6, 1957, No. 9-10, pp. 309-317.
12 figs.

The approx. 55 m high television tower consists of 14 storeys including ground floor and basement, the latter accommodates the lift engines and the cable gallery. Owing to the very short time allotted for building — 3 to 4 months — a steel frame structure has been used. As a fire prevention measure all steel columns were encased in concrete. This also resulted in economies in steel since the columns had to bear only the dead weight of the empty steel framing. The floors were constructed partly of pre-cast reinforced concrete elements. The weight of the riveted steel structure is approx. 240 tons, the area of the precast floors is 2000 sq. m. The construction of the foundations, column encasements and other monolithic structures involved the pouring of 600 cu. m of site concrete. Site joints for the tower were bolted throughout. A wind pressure of 120 kg per sq. m and a form coefficient of 1.20 were adopted in strength computations. The floors were designed for a uniformly distributed live load of 500 kg per sq. m. The tower is built on dolomite rock with a maximum pressure of 8.10 kg per sq. cm. Tensile stresses in the columns are absorbed by anchoring the bases into the foundations. The steel structures were mounted according to a previously determined schedule. As revealed by the comparative cost analysis, a corresponding structure in reinforced concrete would have been significantly cheaper, but the time required for the construction would have been unacceptably long.

VERO, Imre

"Dimensioning; numerical tables and examples" by Loser. Reviewed by
Imre Vero. Melyepitestud szemle 13 no.10:466 0 '63.

VERO, Imre

"Handbook of the construction industry" by Kardos, Valko.
Reviewed by Imre Vero. Melyepitesstud szemle 13 no.5:223
My '63.

VERO, Imre

"Modern sheeting methods" by Laszlo Mohacs. Reviewed by
Imre Vero. Melyepitesud szemle 13 no.2/3:93 P-Mr '63.

VERO, Imre

"Statics" by Lorand Tobias, Zoltan Visy. Reviewed by
Imre Vero. Melyepitestud szemle 13 no.2/3:100 F-Mr '63.

VERO, Istvan, ckleveles kohomernok


Hungarian experiences in manufacturing pig iron by means of acid
slag. Koh lap 97 no.12:573-576 D '64.


1. Danubian Ironworks.


Investigations on the Equilibrium Relations of Heavily Allored Bronzes. III.—The Copper-Tin-Copper-Manganese-Tin Alloys. J. Véró (Bánya-mérnöki és Erdőmérnöki Főiskola Budapesti Iskolai Mérnöki Osztályának Általános Mérnöki Műhelyében, Mitt. Berg. Akad. f. Berg. u. Forstw. zu Sopron, 1933, 5, (Reprint), 28 pp.)—[In German with English summary.]—The ternary system copper-tin-manganese has been investigated by thermal analysis and micrographical examination up to 15% manganese and from the copper corner to the quasi-binary section manganese-tin (Cu_2Sn). The results are shown in a series of equilibrium diagrams for constant manganese contents, and space models of the solidification equilibria and transformations in the solid state are given together with photographs of characteristic structures of the manganese-rich alloys. Addition of manganese to bronze reduces the solubility of tin in the α -phase; with more than 4% manganese (limit of solubility in α - and in β -tin-copper) the appearance and transformations of all bronzes are changed, the β -phase being entirely suppressed, together with all its reactions. A new phase, designated "X," appears in the microstructures when 5% or more manganese is present; this phase is formed only in the solid state by separation from the γ -phase on cooling. The appearance of the ($\alpha + \beta$)-eutectoid is considerably altered by the presence of much X, and, with 10% manganese, is characteristic of an entirely new eutectoid, although such an eutectoid cannot represent true equilibrium, since it appears only when X is formed from the ($\alpha + \gamma$)-state and never when it is formed from pure γ . In the latter case the structure of alloys which have been slowly cooled consists of large globular aggregates of X-crystals distributed throughout a ground-mass of the ordinary binary bronze constituents; this structure is particularly well marked in the alloy with 10% manganese and 27% tin, whereas the slowly cooled alloy with 15% manganese and 17.5% tin has a characteristic pearlite structure of the $\alpha + \beta + X$ pseudo-eutectoid.—A. R. P.


APPROVED FOR RELEASE: 09/01/2001


CIA-RDP86-00513R001859520009-2"












Effect of velocity of cooling on the amount of hypo-eutectoid ferrite. Jozef Vrd. Bilevits, Kokos, Ljubljana, 70, 245 Al (1967). "Ordinarily slow cooling in metallurgical practice is not slow enough to produce equil. in the metal. The theoretical equil. diagram thus cannot be used for com. steels. The relation of C content to the amount of structural elements can be represented by a linear equation in equil. Outside the equil. the relation seems to be a curve, deviating the more from the linear, the more rapid the cooling procedure. The change of velocity of cooling affects most those steels that contain almost the same amounts of ferrite and perlite. There is a simple relation between the structure and the amt. of hypo-eutectoid ferrite." S. S. de Finaly

9

ASB-SEA METALLURGICAL LITERATURE CLASSIFICATION

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |



The nomenclature of the structural components of steels. J. A. Yerd, Blyndis, Kokiss, Lopuk 72, 371-5 (1937). At the present names of structural elements of steels are not sufficiently clear, the following proposals are made: (1) Pearlite is a eutectoid consisting of alternate layers of ferrite and cementite the structure of which can be resolved by an objective at an aperture of 0.3 by a magnification of 250. (2) Sorbite is a lamellar eutectoid consisting of ferrite and cementite the structure of which cannot be resolved by an objective at an aperture of 0.3 by a magnification of 250, but can be resolved at an aperture of 1.0 by a magnification of 1000. (3) Troostite is a lamellar eutectoid the structure of which cannot be resolved at an aperture of 1.0 and a magnification of 1000.

S. S. de Finály

ASA-11A METALLURGICAL LITERATURE CLASSIFICATION

EDITION 1937

140369 44	140369 45	140369 46	140369 47	140369 48	140369 49	140369 50	140369 51	140369 52	140369 53	140369 54	140369 55	140369 56	140369 57	140369 58	140369 59	140369 60	140369 61	140369 62	140369 63	140369 64	140369 65	140369 66	140369 67	140369 68	140369 69	140369 70	140369 71	140369 72	140369 73	140369 74	140369 75	140369 76	140369 77	140369 78	140369 79	140369 80	140369 81	140369 82	140369 83	140369 84	140369 85	140369 86	140369 87	140369 88	140369 89	140369 90	140369 91	140369 92	140369 93	140369 94	140369 95	140369 96	140369 97	140369 98	140369 99	140369 100	140369 101	140369 102	140369 103	140369 104	140369 105	140369 106	140369 107	140369 108	140369 109	140369 110	140369 111	140369 112	140369 113	140369 114	140369 115	140369 116	140369 117	140369 118	140369 119	140369 120	140369 121	140369 122	140369 123	140369 124	140369 125	140369 126	140369 127	140369 128	140369 129	140369 130	140369 131	140369 132	140369 133	140369 134	140369 135	140369 136	140369 137	140369 138	140369 139	140369 140	140369 141	140369 142	140369 143	140369 144	140369 145	140369 146	140369 147	140369 148	140369 149	140369 150	140369 151	140369 152	140369 153	140369 154	140369 155	140369 156	140369 157	140369 158	140369 159	140369 160	140369 161	140369 162	140369 163	140369 164	140369 165	140369 166	140369 167	140369 168	140369 169	140369 170	140369 171	140369 172	140369 173	140369 174	140369 175	140369 176	140369 177	140369 178	140369 179	140369 180	140369 181	140369 182	140369 183	140369 184	140369 185	140369 186	140369 187	140369 188	140369 189	140369 190	140369 191	140369 192	140369 193	140369 194	140369 195	140369 196	140369 197	140369 198	140369 199	140369 200	140369 201	140369 202	140369 203	140369 204	140369 205	140369 206	140369 207	140369 208	140369 209	140369 210	140369 211	140369 212	140369 213	140369 214	140369 215	140369 216	140369 217	140369 218	140369 219	140369 220	140369 221	140369 222	140369 223	140369 224	140369 225	140369 226	140369 227	140369 228	140369 229	140369 230	140369 231	140369 232	140369 233	140369 234	140369 235	140369 236	140369 237	140369 238	140369 239	140369 240	140369 241	140369 242	140369 243	140369 244	140369 245	140369 246	140369 247	140369 248	140369 249	140369 250	140369 251	140369 252	140369 253	140369 254	140369 255	140369 256	140369 257	140369 258	140369 259	140369 260	140369 261	140369 262	140369 263	140369 264	140369 265	140369 266	140369 267	140369 268	140369 269	140369 270	140369 271	140369 272	140369 273	140369 274	140369 275	140369 276	140369 277	140369 278	140369 279	140369 280	140369 281	140369 282	140369 283	140369 284	140369 285	140369 286	140369 287	140369 288	140369 289	140369 290	140369 291	140369 292	140369 293	140369 294	140369 295	140369 296	140369 297	140369 298	140369 299	140369 300	140369 301	140369 302	140369 303	140369 304	140369 305	140369 306	140369 307	140369 308	140369 309	140369 310	140369 311	140369 312	140369 313	140369 314	140369 315	140369 316	140369 317	140369 318	140369 319	140369 320	140369 321	140369 322	140369 323	140369 324	140369 325	140369 326	140369 327	140369 328	140369 329	140369 330	140369 331	140369 332	140369 333	140369 334	140369 335	140369 336	140369 337	140369 338	140369 339	140369 340	140369 341	140369 342	140369 343	140369 344	140369 345	140369 346	140369 347	140369 348	140369 349	140369 350	140369 351	140369 352	140369 353	140369 354	140369 355	140369 356	140369 357	140369 358	140369 359	140369 360	140369 361	140369 362	140369 363	140369 364	140369 365	140369 366	140369 367	140369 368	140369 369	140369 370	140369 371	140369 372	140369 373	140369 374	140369 375	140369 376	140369 377	140369 378	140369 379	140369 380	140369 381	140369 382	140369 383	140369 384	140369 385	140369 386	140369 387	140369 388	140369 389	140369 390	140369 391	140369 392	140369 393	140369 394	140369 395	140369 396	140369 397	140369 398	140369 399	140369 400	140369 401	140369 402	140369 403	140369 404	140369 405	140369 406	140369 407	140369 408	140369 409	140369 410	140369 411	140369 412	140369 413	140369 414	140369 415	140369 416	140369 417	140369 418	140369 419	140369 420	140369 421	140369 422	140369 423	140369 424	140369 425	140369 426	140369 427	140369 428	140369 429	140369 430	140369 431	140369 432	140369 433	140369 434	140369 435	140369 436	140369 437	140369 438	140369 439	140369 440	140369 441	140369 442	140369 443	140369 444	140369 445	140369 446	140369 447	140369 448	140369 449	140369 450	140369 451	140369 452	140369 453	140369 454	140369 455	140369 456	140369 457	140369 458	140369 459	140369 460	140369 461	140369 462	140369 463	140369 464	140369 465	140369 466	140369 467	140369 468	140369 469	140369 470	140369 471	140369 472	140369 473	140369 474	140369 475	140369 476	140369 477	140369 478	140369 479	140369 480	140369 481	140369 482	140369 483	140369 484	140369 485	140369 486	140369 487	140369 488	140369 489	140369 490	140369 491	140369 492	140369 493	140369 494	140369 495	140369 496	140369 497	140369 498	140369 499	140369 500	140369 501	140369 502	140369 503	140369 504	140369 505	140369 506	140369 507	140369 508	140369 509	140369 510	140369 511	140369 512	140369 513	140369 514	140369 515	140369 516	140369 517	140369 518	140369 519	140369 520	140369 521	140369 522	140369 523	140369 524	140369 525	140369 526	140369 527	140369 528	140369 529	140369 530	140369 531	140369 532	140369 533	140369 534	140369 535	140369 536	140369 537	140369 538	140369 539	140369 540	140369 541	140369 542	140369 543	140369 544	140369 545	140369 546	140369 547	140369 548	140369 549	140369 550	140369 551	140369 552	140369 553	140369 554	140369 555	140369 556	140369 557	140369 558	140369 559	140369 560	140369 561	140369 562	140369 563	140369 564	140369 565	140369 566	140369 567	140369 568	140369 569	140369 570	140369 571	140369 572	140369 573	140369 574	140369 575	140369 576	140369 577	140369 578	140369 579	140369 580	140369 581	140369 582	140369 583	140369 584	140369 585	140369 586	140369 587	140369 588	140369 589	140369 590	140369 591	140369 592	140369 593	140369 594	140369 595	140369 596	140369 597	140369 598	140369 599	140369 600	140369 601	140369 602	140369 603	140369 604	140369 605	140369 606	140369 607	140369 608	140369 609	140369 610	140369 611	140369 612	140369 613	140369 614	140369 615	140369 616	140369 617	140369 618	140369 619	140369 620	140369 621	140369 622	140369 623	140369 624	140369 625	140369 626	140369 627	140369 628	140369 629	140369 630	140369 631	140369 632	140369 633	140369 634	140369 635	140369 636	140369 637	140369 638	140369 639	140369 640	140369 641	140369 642	140369 643	140369 644	140369 645	140369 646	140369 647	140369 648	140369 649	140369 650	140369 651	140369 652	140369 653	140369 654	140369 655	140369 656	140369 657	140369 658	140369 659	140369 660	140369 661	140369 662	140369 663	140369 664	140369 665	140369 666	140369 667	140369 668	140369 669	140369 670	140369 671	140369 672	140369 673	140369 674	140369 675	140369 676	140369 677	140369 678	140369 679	140369 680	140369 681	140369 682	140369 683	140369 684	140369 685	140369 686	140369 687	140369 688	140369 689	140369 690	140369 691	140369 692	140369 693	140369 694	140369 695	140369 696	140369 697	140369 698	140369 699	140369 700	140369 701	140369 702	140369 703	140369 704	140369 705	140369 706	140369 707	140369 708	140369 709	140369 710	140369 711	140369 712	140369 713	140369 714	140369 715	140369 716	140369 717	140369 718	140369 719	140369 720	140369 721	140369 722	140369 723	140369 724	140369 725	140369 726	140369 727	140369 728	140369 729	140369 730	140369 731	140369 732	140369 733	140369 734	140369 735	140369 736	140369 737	140369 738	140369 739	140369 740	140369 741	140369 742	140369 743	140369 744	140369 745	140369 746	140369 747	140369 748	140369 749	140369 750	140369 751	140369 752	140369 753	140369 754	140369 755	140369 756	140369 757	140369 758	140369 759	140369 760	140369 761	140369 762	140369 763	140369 764	140369 765	140369 766	140369 767	140369 768	140369 769	140369 770	140369 771	
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	--

Alitized Iron As Sulphur Resistant Material.
 J. A. Vero. (Royal Hungarian Palatine-Joseph University, Publications of the Department of Mining and Metallurgy, 1940, vol. 12, pp. 158-166). It was desired to find a metal for making baskets for coking briquettes in a low-temperature carbonization plant. The material had to be resistant to a reducing atmosphere containing H_2S at temperatures up to 600° C. "Alitized" steel was found to be more resistant than high-chromium steel. Steel is alitized by heating it for 3 hr. or longer at 930-950° C. embedded in a mixture of burnt alumina 49 parts, 55/45 aluminium-iron alloy 49 parts, and ammonium chloride 2 parts; hydrogen is passed slowly through the tubular furnace during the process. At room temperature the alitized layer is somewhat brittle, but at 500° C. it can be bent sharply without cracking. Data on the properties of alitized steel wire at temperatures in the 400-900° C. range are presented and compared with similar data for mild steel and chromium steel wire.—B. A. R.

16

APPROVED FOR RELEASE: 09/01/2001


CIA-RDP86-00513R001859520009-2"


CK


The development of the structure of cast steel with dependence upon the velocity of cooling. A. Veto, Ray. Hung. Patente-Joseph Univ. Tech. Econ. Min. Publ. Dept. Mining Met. 12, 167-01 (1910). A study was made both in the cast and in the reheated state of the structure and some phys. properties of common acid steel castings having C contents of 0.12-0.54% and cross sections from 10 X 150 mm. to 150 X 150 mm. The nature of the primary structure depends chiefly upon the melting temp., by which the distribution of particles which may act as nuclei upon solidification, is probably effected. The size of the primary crystals varies with the rate of cooling and the depth of the columnar zone with the casting temp. Distribution of nonmetallic inclusions differs with compn. and m.p. of the steel, but not with the nature of the primary structure. Expt. shows that C is forced to migrate towards the center of the austenite crystals by P enrichment. The dendrites and globular crystals have a remarkable similarity in regard to the secondary crystn. Upon reheating, in order to prevent the cast steel from assuming the original structure, the austenite must be first homogenized by suitable heating; even after homogenization, traces of the original structure may appear if the steel is heated at a low temp. and cooled slowly. The character of the primary structure does not exert any appreciable effect upon phys. properties but the known effect of primary crystal size appears very clearly. Homogenization on reheating is found to be of advantage. Properties of hard steels are influenced by the manner of heat-treatment to a greater extent than those of soft ones, which are almost indifferent to the mode of heat-treatment. Cf. C.A. 33, 45639.

M. P. Quenly

9









Notes on the Static Testing of Welds. A. Schleicher and J. A. Verb. (Royal Hungarian Palatine-Joseph University, Publications of the Department of Mining and Metallurgy, 1943, vol. 13, pp. 171-205). Tensile and hardness tests were made on specimens cut from welded joints in mineral-oil and natural-gas pipe lines of steel containing 0.3% max. of carbon. Hungarian and German testing procedures were employed and the former specifications were found to be too rigid.—R. A. R.

18





Br. Aba

*C-1-Bogomil, Poco
Spence*

136. Relation of Brinell, Vickers, and cone hardness. J. A. Verő
(Hungarian Peasant Joseph Univ., Faculty Dept. Min. Mat., 1944-47,
16, 3-19; J. Iron Steel Inst., 1948, 166, 536).—Using a 2.5-mm.
steel ball, a Vickers and a Rockwell hardness-testing instrument,
tests were made on Fe, Cu, Al, and their alloys to establish a re-
lation between these methods. Results are discussed.
K. B. CLARK

V-16

INFLUENCE OF THE WALL THICKNESS ON THE WELDABILITY OF STEEL. J. Iorg. (Banyassati et Kohassati Léop. 1945, vol. 3, Nov. 15, pp. 277-287). (In Hungarian). The influence of the wall thickness on the cooling rate of welded steel parts is analysed and theoretical conclusions are compared with results obtained experimentally. The temperature distribution round a point of heat input is given by the J₀Bessel function for thin sheets, and by the (sine γ) J_0/γ function for thick plates. The isotherms have a cylindrical shape for thin sheets, whilst for thick plates they are spherical. The structural changes of the base metal permit the determination of the maximum temperatures reached during the welding process at various points, and the values obtained enable the maximum temperature of the cross-section affected by the welding to be plotted. The places where the A₃ and A₁ temperatures were reached can be recognized and their distance from the parent-metal/weld-metal line can be measured. The curve for maximum temperature plotted against this distance is flattest for 7-mm. sheets whilst it gets steeper for thinner as the initial cooling speed as a function of the wall thickness, and this speed is lowest for 7-mm. sheets. The influence of

ASME-SEA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2"

CA

4

Electrolytic polishing of aluminum alloys and the appearance of their constituents in the electropolished condition.
J. A. Vero (Univ. Tech. Sci., Sopron, Hung.). Univ. Tech.

Sz. Sopron, Publ. Dept. Mining Met. 17, 23 3001048-1049 (in English). Attempts to obtain satisfactory polishing effects in Jacquet's $\text{AcOH}-\text{HClO}_4$ electrolyte (cf. C.I. 29, 3749) were unsuccessful. Good results were attained with an electrolyte of EtOH and HClO_4 proposed by De Sy and Haes (C.I. 35, 6222). Every specimen was better near the edges than in the center. The electropolishing was done at 110 v. at 5 amp./sq. cm. c.d., a span of electrodes of .40 mm. Polishing is best done with frequent interruptions. This method is satisfactory for finishing samples for microscopic exams, except with alloys contg. free Si. Photomicrographs show the appearance of various constituents of the alloy. Oblong shapes proved more adapted for polishing to even surfaces than rounded or cube shapes. After many attempts, a slice 6.0 mm. thick cut from a rounded cast bar 16 mm. in diam. was found best. When high c.ds. were applied it was advisable to switch on the current for one or two sec. only and interrupt for about 10 sec. to avoid black-spot formation. István Finlay

On the Theory of Degrassing Molten Metals. J. Verő.
(Bányászati és Kohászati Lapok, 1949, vol. 4, Nov., pp.
473-483). (In Hungarian). The influence of the temperature
and pressure on the quantity of occluded gas, particularly
hydrogen, is described, and various methods of degassing are
examined. The methods employed were: (1) Solidification
of the melt in a hydrogen-free atmosphere; (2) keeping the
metal molten in a hydrogen-free atmosphere; (3) purging
the melt with an insoluble gas; and (4) degassing under
vacuum. Diffusion is not taken into consideration although
it has a definite influence in methods (2) and (4).—n. o.

1-16

CA

9

Removal of gases from molten metals. Józef Verg.
Rdayus. *Kohäs. Lapoh* 82, 473-83(1949).—Math. discussion of 4 methods for gas removal: (1) freezing the molten metal in an atm. free from H, (2) storing the molten metal in an atm. free from H, without freezing it, (3) leaching out the molten metal with a gas incl. in the metal, (4) melting the metal *in vacuo*. The discussion considers practically exclusively the removal of H occluded by metals. For quick degassing, methods (3) and (4) seem to be most suitable.
I. Finally.

VERE J.

The Theory of the Degassing of Molten Metals. J. VERE (Acta Technica Academiae Scientiarum Hungaricae, 1950, 1, 1, 130-155). (In Russian).

The occlusion of hydrogen by metals is discussed and formulas representing general relationships between the amount of occluded hydrogen, its partial pressure, and the temperature of the metal are derived. The methods and mechanism of degassing metal are reviewed and the theoretical limits of degassing under different conditions are expressed by general formulas. On theoretical grounds it is shown that the only practical method of degassing is by blowing an inert gas through the molten metal; in all other methods the diffusion of hydrogen through the metal is the controlling factor in the velocity of degassing. E25

immediate source clipping

Simplification of St. Galik's Calculation for Converting the Elongation of One Gauge Length to Another Gauge Length. J. Vero. (Banyaszati es Kohászati Lapok, 1950, vol. 5, Apr., pp. 279-280). In Hungarian. The author has developed two series of curves, which are presented, to enable elongation values obtained on one gauge length to be converted to another gauge length without having to measure the permanent elongation, as was necessary with St. Galik's method.— R. A. R.

18

APPROVED FOR RELEASE: 09/01/2001 CIA-RDP86-00513R001859520009-2"

Metallurgy, Metallurgical
10/7

CA

Dilatometric determination of the solidus temperature.
J. A. Varg (Tech. Univ., Sopron, Hung.). *Acta Tech.*

Acad. Sci. Hung. 3, No. 1, 97-112(1951)(in English).—
The expansion owing to melting can be used to det. the
solidus temp. of alloys with a dilatometer. Different types
of Al alloys were examd. by this method and their solidus
temp. detd.
Alfred M. Posner

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2"

J. VERO.

"On the stability of nuclei in metallic melts." p. 209 (ACTA TECHNICA ACADEMIAE
SCIENTIARUM HUNGARICAE, Vol 6, no. 1/2, 1953, Budapest, Hungary)

SO: Monthly List of East European Accessions, L.C., Vol. 2 No. 7, July 1953, Uncl.

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2

thus the hydrogen content of the steel is increased
in the heat analysis. This is the reason for the
the increase

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2"

VIPÓ, J.

Institutes in Moscow for the training of metallurgical engineers. p. 67.
KOMSZATI IAPOK. Vol.12, no. 3, Mar. 1957, Budapest, Hungary)

SO: Monthly List of East European Accessions (EEL) Ic. Vol. 6, no. 12, Dec. 1957.
Uncl.

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2"

Distr: 4E2c

5
/ Development of a weldable manganese-titanium-aluminum alloyed steel of the St 52 type in Hungary. G. Kristof, P. Szucs, J. A. Verp, and B. Zorkoczy. *Neue Hütte* 3, 425-52 (1958). Confronted with the need to formulate St 52 steel (tensile strength, 52; yield point, 35 kg./sq. mm.) by using alloying materials available in Hungary, the authors investigated the properties of steel contg. Mn, Si, Al, and Ti. They found that Ti steels (0.02-0.17% Ti) show up favorably in tests (notched-bar shock resistance at -50° to +30°, tensile strength, Jominy hardness), comparing their mech. properties with those of other St 52 steels. Loss of tensile strength on cooling to -40°, on aging, and in the brittlest portion of the welding zone is less for steel contg. Ti than for Ti-free St 52. This compensating effect of Ti is the more marked the higher the content. The fine-grained state of Ti steel is more stable than that of Al steels or of other fine-grained steels. Charts and photomicrographs illustrate these points. J. G. S.

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2

VERO, J.

✓ Methods for inspecting inclusions in steel

1016

2

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859520009-2"

VERO, J.

Methods of investigating steel impurities. p.449

KOHASZATI LAPOK. (Magyar Bányászati és Kohászati Egyesület)
Budapest, Hungary
Vol. 13, no.10/11, Oct./Nov. 1958

Monthly List of East European Accessions (EEAI) I.C., Vol. 8, no.7, July 1959
Uncl.

VERO, J.

Distr: 4E2c

// The influence of austenitic grain size on the M_s temperature. Josef A. Vero and M. Sziksza. *Uttu Tech. Acad. Sci. Hung.* 27, 419-27 (1959) (in English).— Four steels contg. C 0.3-0.5, Mn 1.02-1.6, Si 0.11-1.03, and Cr 0-0.53% were tested, 1 being a com. eutectoid Mn-Si steel without Cr, and 1 with highest Cr being a lab. hypoeutectoid melt with low Si. In these steels the Cr:C ratio was sufficiently low to prevent the presence of any difficultly sol. Cr carbides, and hence insure that the austenite transforming to martensite would always have the same compn. in a given steel, irrespective of the austenizing temp. used for producing the desired grain size. The dilatometric results on all 4 steels, except for 2 detsn. at the coarsest grain size, showed a linear relation of M_s temp. to grain size, with coarsening by 1 no. raising the temp. 12-13°. George F. Comstock.

3
1 M. LC (J D)

VERO, Jozsef, akademikus

Regularity in the change of the hydrogen content in the
open-hearth steel. Koh lap 9 no. 3: 100-101 Mr '54.

SZELE, Mihaly, egyetemi tanar; MARTOS, Ferenc; CLAUS, Alajos; HARGITTAY, Sandor; VERO, Jozsef, dr.

An account of the Executive Committee session held on May 24, 1957.
Koh lap 12 no. 4/5 199-208 Ap-My '57.

1. Orszagos Magyar Banyaszati es Kohaszati Egyesulet elnöke
(for Szele).
2. Orszagos Magyar Banyaszati es Kohaszati Egyesulet fotitkara
(for Martos).

VERO, Jozsef

Ivan Pavlovich Bardin (1883-1960): an obituary. Magy tud 67 no.4:
229-231 Ap '60. (EEAI 9:9)
(Bardin, Ivan Pavlovich)
(Russia--Metallurgy)

VERO, Jozsef

Dr. Aladar Schleicher; on the occasion of his 80th birthday. Muzsaki
koz1 MTA 19 no.1/4:39-42 '61.

KALDOR, M., candidat of eng.sc.; VERO, J. A., member of the Hungarian Academy of Sciences

A method to reveal austenitic grain size in hardenable steels; Report No.18 of the Working Community for Metallurgy of the Hungarian Academy of Sciences. Acta techn Hung 34 no.1/2:177-184 '61.

ADAM, Antal (Sopron); VERO, Jozsef (Sopron)

Tellurium prospecting in a strongly cracked tectonic area, Muszaki
kozl MTA 28 no.1/4:437-446 '61. (KEAI 10:9)

1. Magyar Tudomanyos Akademia Geofizikai Kutato Laboratorium, Sopron.

(Tellurium)

VERO, Jozsef, akademikus, egyetemi tanar

Conference of the Baykov Institute in Moscow. Magy tud 68
no.12:766-769 D '61.

1. Intezeti igazgato, Vasipari Kutato Intezet.

VERO, Jozsef, dr.

Appraisal of microscopic methods for inclusion testing. Koh lap 95
no.1:9-13 Ja '62.

(Steel)

VERO, Jozsef, dr., akadémikus; MÁNTANE SZIKSZAI, Marta

Studying the phase changes of steels by a dilatometer. Koh lap 95
no. 92398-402 S '62.

1. Nehezipari Műszaki Egyetem Metallografiai Tanszék.

VERO, Jozsef, dr

On the brittleness of MTA 50 steels. Koh lap 97 no.9.
402-407 S '64.

VERO, Jozsef, dr.

On the brittleness of MTA 50 steels. Koh lap 97 no.10:
456-463 0 '64.

ACC NR: AP7003588 (Av) SOURCE CODE: HU/0001/66/007/004/0157/0162

AUTHOR: Hollo, Lajos; Vero, Jozsef

ORG: none

TITLE: New investigations regarding variations in the Earth's electromagnetic field and sun-physics data, recurring at 27-day intervals

SOURCE: Magyar geofizika, v. 7, no. 4, 1966, 157-162

TOPIC TAGS: magnetic field, magnetic field intensity, Earth magnetic field, alternating magnetic field, sunspot, sunspot cycle, telluric current, astronomic observatory, telluric current reading

ABSTRACT: The authors compared data based on velocity readings of telluric currents at the Nagycenk Observatory [Hungary] during 1960—1962 with readings made during 1957—1959. They found a significant change in the degree of correlation. This seemed to confirm that during periods of low solar activity and gradually starting magnetic storms pulsation shows increasing periodicity. The readings also showed that pulsations which do not depend on magnetic activity have a lesser

Card 1/2

ACC NR: AP7003588

tendency to recur at 27-day periods. The paper was presented in a lecture on
24 February 1964. Orig. art. has: 3 figures and 4 tables. [KS]

SUB CODE: 08/SUBM DATE: none/ORIG REF: 001/OTH REF: 002/

Card 2/2

L 30212-66 FCC
ACC NR: AT6020297

SOURCE CODE: HU/254765/052/01-0065/0076

43

8+1

AUTHOR: Vero, J.--Vere, I.ORG: Research Laboratory for Geophysics, MTA, SopronTITLE: Possibility for the determination of the telluric tensorSOURCE: Academiae scientiarum hungaricarum. Acta technica, v. 52, no. 1-2, 1965, 65-76TOPIC TAGS: telluric current, geometry

ABSTRACT: It was shown that the relative ellipse method has certain disadvantages for evaluating telluric measurements. A method in which a parallelogram is used in lieu of the ellipse was developed and it was shown that most of the disadvantages are thereby eliminated. The parallelograms involved are easier to construct and the uncertainty of the great axis of the ellipse is eliminated. The method will not eliminate the uncertainty of the small axis; however, it is applicable even in cases where the ellipse is a prolate one. Another slight disadvantage of the new method is that the parallelogram is less illustrative than is the ellipse in the determination of the telluric tensor. Orig. art. has: 6 figures, 9 formulas, and 1 table. [Orig. art. in Eng.] [JPRS]

SUB CODE: 08, 12 / SUBM DATE: 02Nov63 / OTH REF: 003

Card 1/1 CC

VERO, Jozsef

A possibility for telluric tension determination. Muzsaki
kozl MTA 34 no.4:443-453 '65.

l. Research Laboratory of Geophysics of the Hungarian Academy
of Sciences, Sopron.

VERO, Jozsef, dr., akademikus, tanckervezeto egyetemi tanar; MTA, Ferenc,
egyetemi tanarseged

Effect of nitrogen on some properties of the MTA 50 steel. Koh
lap 97 no.8:353-359 Ag '64.

VERO, Jozsef, akademikus

Reaction kinetics of the decarbonization of unalloyed steel.
Muszaki kozl MTA 34 no. 1/2: 127-141 '64.

1. Metallurgical Working Group, Hungarian Academy of Sciences.

SZUGS, Endre; KOVACS, Sandor; MESTER, Istvan; JUNG, Bela; LELKES, Gabor;
SCHUSSLER; HAJTO, Nandor, dr.; VERO, Jozsef, dr.

Remarks about Nandor Hajto's lecture entitled "Mn-Ti
containing casehardened steels." Koh lap 9 no. 3: 102-108
Mr '54.

1. Darutervezo Iroda (for Schussler).

VERO, Jozsef, dr.

Aleksandr Mikhailovich Samarin at 60. Mussaki kozl MTA
32 no.1/4:3-5 '63.

VERO, Jozsef, dr.

Stylistic errors in Hungarian technical texts. Koh lap 96
no.11:501-503 N°63.

VERO, J.A., member of the Hungarian Academy of Sciences

The disintegration of eutectic carbide in high-speed steel
during forging. Acta techn Hung 44 no. 3/4:419-436 '63.

1. Working Community for Metallurgy of the Hungarian Academy
of Sciences.

VERO, Jozsef, prof.

Hungarian technical terminology. Musz elet 18 no.13:3
20 Je '63.

VERO, Jozsef, dr.

Hungarian and foreign weldable steels alloyed by titánium. Koh lap
96 no.4:161-163 Ap '63.

Vero, J.

Distr: 4E2c.

343/00. 6 669.14.069.84
Degassing of steel in vacuum. J. Vero. Kohdeall Lapal,
Vol. 02, 1959, No. 12, p. 689-383, 16 figs., 3 tabs.

A molten metal loses gas in vacuum by two different mechanisms, by the formation of gas bubbles and by diffusion. The formation of gas bubbles occurs in a measurable quantity only in a small layer near the surface of the melt because of the metallostatic pressure of the melt and because of surface tension; gas losses by this mechanism are low when referred to the entire volume of the melt. The rate of gas discharge by diffusion is slow, the process requires more than an hour.

An analysis of the probable results of these two mechanisms shows that — besides melting in vacuum — successful and quick degassing is preferably effected by casting in vacuum. The conclusions of this theoretical analysis are corroborated by laboratory and field tests. Equipments designed for the melting, casting and degassing of steel are evaluated on the basis of the degree of degassing obtained and on the possibility of handling considerable quantities of steel.

2
1 - MJC (DD)

ADAM, Antal; VERO, Jozsef

A preliminary report on the national measurements of telluric currents
by the Geophysical Research Laboratory of the Hungarian Academy of
Sciences. Geofiz kozl 10 no.1/4;27-37 '62.

VERO, Jozsef

Calculation of the telluric station ellipse. Geofiz kozl 10 no.1/4:
155-161 '62.

VERO, Jozsef, dr.

Disaggregation of the eutectic carbide of high-speed steels during
forging. Koh lap 96 no.2.49-56 F '63.

ADAM, Antal (Sopron); VERO, Jozsef (Sopron)

Changes in the earth's electromagnetic field and their
utilization in the research on terrestrial structure. Fiz szemle
14 no.7:207-214 Jl '64.

VERO, Sandor

Cultural competition between the socialist brigades of the Aron Gabor
Iron Foundry. Munka 10 no.1:17 Ja '60.

1. Szakszervezeti bizottsagi titkar, Gabor Aron Vasontode es Gepgyar.